



REVISIONS							
ZONE	REV	ECN#	DESCRIPTION	DATE	ENG. APPR.	QC. APPR.	PROD. APPR.
	A	3896	INITIAL RELEASE	8/31/2020			




NOTES:

1. LOT TRACEABILITY REQUIRED WITH EACH MANUFACTURING LOT.
2. CERTIFICATE OF COMPLIANCE REQUIRED.
3. ALL PARTS SHALL BE LABELED WITH A UNIQUE LOT NUMBER WHICH SHALL BE IDENTIFIED ON ALL CONTAINERS HOLDING PARTS.
4. CLEANLINESS: THE PARTS SHALL HAVE NO FOREIGN MATERIAL ON THEIR INTERNAL OR EXTERNAL SURFACES AND SHALL BE CLEANED USING A REPEATABLE PROCESS.
5. BOTTOM METALLIZATION SHALL BE COMPATIBLE WITH Au/Si EUTECTIC ATTACH METHODS.
6. MUST BE CAPABLE OF BOND PULL IN ACCORDANCE WITH MIL-STD-883, METHOD 2011.
7. MUST BE CAPABLE OF DIE SHEAR IN ACCORDANCE WITH MIL-STD-750, METHOD 2017 AND PER MIL-STD-883-2019.
8. BAKE TEST: 10PCS. @300°C FOR 5 MIN. IN OVEN(AIR ENVIRONMENT).
9. VISUAL & MECHANICAL INSPECTION TO COMPLY WITH THIS DRAWING & MIL-STD-883, METHOD 2010.

	MIN.	TYP.	MAX.
A	.014	.015	.016
B	.014	.015	.016
C	.004	.005	.006

UNLESS OTHERWISE SPECIFIED
INTERPRET DRAWING PER ASME Y14.5
DO NOT SCALE THIS DRAWING

NOTE: THIS DRW INCORPORATES
THIRD ANGLE PROJECTION



SemiGen
CONFIDENTIAL INFORMATION SUBJECT TO NDA

The information contained in this document or material is the valuable and confidential property of SemiGen Technology Solutions Holdings, Inc. and/or its subsidiaries or affiliates (collectively, "SemiGen"), provided to you, subject to a non-disclosure agreement between you and SemiGen solely for use in supporting SemiGen's business as and for the extent SemiGen authorizes in writing from time to time. This information shall be held in strictest confidence and shall not be reproduced, published, disclosed to others, or used for any purpose except as and to the extent specifically authorized by SemiGen in a separate written agreement. If permission is granted for reproduction, this legend must be included in any and all copies. This document or material shall be promptly returned to SemiGen or destroyed upon request, completion of the use for which it was made available to recipient, or termination of SemiGen's relationship with recipient, whichever first occurs.

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES

TOLERANCES ON

DECIMALS	ANGLES
.X ± .1	±0.5°
.XX ± .02	
.XXX ± .005	
.XXXX ± .0005	

UNLESS OTHERWISE SPECIFIED
63 / ALL OVER

MATERIAL

FINISH



54 Grenier Field Rd.
Londonderry, NH 03053
TEL.: (603)624-8311 FAX: (603)624-8312

TITLE
**OUTLINE, BINARY CAPACITOR,
(BSP-3)**

SIZE	CAGE CODE	DRAWING NO.
B	3BBY6	OL 19026
SCALE:	96:1	WEIGHT / SHEET 1 OF 1